

# Vantage NAS 2121

Efficient rackmount storage for Small and Medium Businesses



## Overview

- Powered by the AMD Ryzen 7 Pro 7745 processor with 8 cores and 16 threads
- 16 GB ECC DDR5-4800 memory, expandable up to 192 GB
- 12x 2½" & 3½" drives supported
- Expansion slots: PCIe Gen5 x8 and Gen5 x4
- Dual 10GbE + Dual Gigabit Ethernet
- Supports PCIe Gen5 SSDs
- Dual redundant 80 PLUS Platinum power supplies
- WOL supported (1GbE)




AMD Ryzen 7  
Pro 7745



12 x 3.5"/2.5"  
SATA HDD/SSD



16 GB ECC  
HDD DDR5-4800



Dual 10  
Gigabit Ethernet




Dual Gigabit  
Ethernet



1x M.2 NVMe  
PCIe 5.0 x 4 SSD Slot




PCIe 5.0 x 8 and  
PCIe 5.0 x4



4 x USB 3.2 Gen 1  
Type-A

## More than Just 10-Gigabit Ethernet!

The Vantageo NAS 2121 offer dual 10GbE and dual Gigabit Ethernet RJ45 network ports, supporting link aggregation and SMB multichannel, while also delivering ultra-low latency and high-speed data transfer rates. If 10-Gigabit is not enough, the included PCI Express slot allows for 25GbE / 40GbE / 50GbE NICs for even faster networking.




## Powerful Core for EnterpriseLevel High-Speed Computing

The Vantageo NAS 2121 are equipped with the AMD Ryzen™ 7 Pro 7745 embedded processor, featuring 8 cores and 16 threads with clock speeds of up to 5.3 GHz. Its powerful Ryzen CPU chews through virtualization and containerized workloads as it delivers smooth and stable high-performance computing, making it ideal for diverse enterprise environments.



## Data Protection Starts with Storage


VANTAGEO understands that your data is priceless, therefore an VANTAGEO NAS provides different RAID volume options, giving your data various levels of protection from the moment it is first stored on a NAS. We recommend you plan your storage protection based on your NAS model and number of hard drives. Data protection has never been so simple.



|                                    | Single | JBOD | RAID 0 | RAID 1  | RAID 5 | RAID 6 | RAID 10 |
|------------------------------------|--------|------|--------|---------|--------|--------|---------|
| Minimum Number of drives           | 1      | 2    | 2      | 2       | 3      | 4      | 4       |
| Fault tolerance (Number of drives) | X      | X    | X      | 1       | 1      | 2      | 1       |
| Increased transfer rates           | X      | X    | ✓      | X       | ✓      | ✓      | ✓       |
| Maximum Use of Storage Space       | ✓      | ✓    | ✓      | 🗨️ x1/2 | 🗨️ -1  | 🗨️ -2  | 🗨️ x1/2 |


## DDR5-4800 ECC ServerGrade Memory

The Vantageo NAS 2121 are equipped with DDR5-4800 ECC memory, which is expandable up to 192GB. ECC memory supports automatic error correction and helps prevent system crashes as well as data corruption, ensuring stable and accurate long-term operation.



## PCI Express 5.0

Includes one PCIe Gen5 x4 M.2 2280 NVMe slot, allowing users to install SSDs for high performance caching or storage, significantly improving access speed for small files and enhancing data processing in multi-user environments.




## Feels Like Unlimited Space

Your Vantageo connect to an Vantageo NAS 212E device using a SAS controller card to add 12 additional drive bays. This provides a stable, high-speed enterprise-grade storage expansion solution without replacing existing hardware and allows your NAS to grow with you.




## Efficiently Large and In Charge

Built with dual-redundant 80 PLUS Platinum certified power supplies, providing stable power delivery with up to 92% power conversion efficiency. This ensures optimal energy use even under high workloads, helping businesses save on electricity costs while supporting eco-friendly operations.



## Exclusive MyArchive Cold Backup Technology

MyArchive cold backup technology turns NAS hard disks into removable storage archives. Directly insert a MyArchive hard disk into the NAS to easily access, backup and share terabytes of content.



## 360° Backup and Virtualization Solution

- Rsync, MyArchive
- Snapshot Center, Cloud Backup Center, DataSync Center
- Complete iSCSI/IP-SAN and NFS support
- VMware, Citrix and Hyper-V ready
- Supports Virtualization and Docker apps




Computer data to NAS




Transfer mobile data to NAS



NAS local backup



Public cloud and NAS data backup




NAS to NAS



NAS backup to external device

## Immutable data storage space, WORM is here!

WORM (Write Once, Read Many) is a data storage technology that only allows data to be written to a storage device once and prevents it from being deleted or modified. Data stored on WORM-compliant storage is immutable. This means that once data has been written to a WORM-compliant storage device, it cannot be modified. This plays a key role when it comes to addressing data security and compliance requirements as well as protecting against ransomware and other attacks.




## Proactively Prevent Suspicious Connections

Record suspicious IPs with the ADM. When the risk detection greylist is enabled, ADM will automatically block potentially harmful IP addresses found in the AbuseIPDB database and add them to the risk detection greylist. Denying suspicious IP connections can help further reduce the risks of a NAS being attacked and further improve data security.


## VANTAGEO NAS

VANTAGEO NAS monitors your VANTAGEO NAS for abnormalities and keeps check on a variety of settings and data health points in your NAS to ensure your NAS is running well and makes recommendations to help better protect your data



## Protected from the Inside and Out

VANTAGEO NAS ensures data security by creating an in-depth data protection plan that protects your data from the inside out. Utilization of a multi-layered deployment scheme allows for extra system and data protection.



## Network Attack Protection

### Network Attack Protection Access Control



- Firewall
- ADM Defender
- Risk detection greylist
- File/Folder/App Isolation
- 2-Step Verification
- Wake-on-LAN (WOL)

### Secured Data Transmission Internal Data

- VPN connection
- SSL certificate connection
- Automatic logout
- AES-256 folder encryption
- Antivirus software
- MyArchive
- WORM (Write Once, Read Many)


## Portainer – Easy Docker Deployments

- Even more possibilities for ADM can be done with Portainer for Docker images. With thousands of images, Portainer can download and deploy more types of programs than ever before. Portainer is incredibly user friendly and employs a graphical interface to make Docker images easier to deploy than ever.




## VANTAGEO MyArchive

ADM now supports automatic mounting and dismounting of MyArchive drives when backing up important data from an VANTAGEO NAS to a MyArchive drive. ADM will automatically mount a connected MyArchive when a backup begins, and automatically eject a MyArchive drive after the backup is complete. In addition to making performing 3-2-1 backups easier than ever, MyArchive drives are more comprehensively protected from various threats due to a different set of risks that complement the risks to data on a NAS.



## Automatic Sync

VANTAGEO EZ Sync brings the magic of cloud sync services right to your home. With an VANTAGEO NAS and EZ Sync, data can be synchronized anywhere with an internet connection without a monthly bill or a data limit. If data is unintentionally modified, restoration is easy with EZ Sync's automatic file history management feature.



## Integrate with a Variety of Enterprise Applications

**Virtual Storage** The VANTAGEO NAS provides enterprise-class hardware and software and is compatible with VMware, Citrix, Hyper-V virtual storage environments. iSCSI/IP-SAN and NFS support allow it to seamlessly integrate with existing IT environments, providing an optimal and cost-effective storage solution.



## Snapshot Center

Snapshot Center allows VANTAGEO NAS devices to utilize Btrfs and iSCSI volumes to take snapshots of the information inside a NAS. Snapshot Center supports up to 256 snapshots of a volume and can be done every five minutes, creating a backup that can be restored easily if data is damaged or lost. MyArchive also now supports Btrfs and snapshots. Btrfs for MyArchive supports snapshots and version history to help protect against accidental deletions or modifications



## Comprehensive Surveillance System

VANTAGEO NAS provides optimal reliability for home and small businesses looking to set up a surveillance system. Four free camera channels are provided, making it an extremely cost-effective surveillance solution for users with smaller demands. The supports up to 128 cameras with licenses sold separately. View surveillance feeds on Surveillance Center and its corresponding mobile app AiSecure. AiSecure also supports streams while on the go with an Internet connection.

## 5Steps60Sec

- Start quick installation wizard
- Automatic camera search
- Add cameras with just one click
- Configure video format
- Configure recording schedule

|                   |                                                                          |                  |                                                                |
|-------------------|--------------------------------------------------------------------------|------------------|----------------------------------------------------------------|
| Processor         | AMD Ryzen 7 PRO 7745 Octa-Core , 5.3GHz Turbo                            | Power            | 550W x2 (80 Plus Platinum)                                     |
| Memory            | 16GB ECC UDIMM DDR5-4800<br>(Expandable. max. 192GB, 48GB x4)            | Operation        | 102 W                                                          |
| Drive Bays        | 12x 2½"/3½" SATA III                                                     | Disk Hibernation | 99 W                                                           |
| M.2 Slots         | 1x M.2 slots for NVMe SSDs , Supports<br>M.2 2280 SSDs Supports PCIe 5.0 | Sleep Mode (S3)  | -                                                              |
| USB               | 4x USB 3.2 Gen 1 (Type A)                                                | Volume Type      | Single, JBOD, RAID 0/1/5/6/10 ,<br>RAID 1/5/6/10 + Spare Drive |
| LAN               | 2x 10-Gigabit , 2x Gigabit                                               | Display Out      | HDMI™ (For Servicing                                           |
| Expansion         | 2x for optional expansion 10,25,40,50GbE card and<br>SAS card            | Service LED      | Yes                                                            |
| Dimensions(HxWxD) | 88x439x576 mm                                                            | Disk Tray Lock   | Yes                                                            |
| Weight            | 14 kg / 30.9 lb                                                          | LCD Panel        | -                                                              |



- A. Power LED Indicator  
B. Inspection LED Indicator  
C. System Status LED Indicator  
D. Alert LED Indicator
- E. SAS LED Indicator  
F. Network LED Indicators  
G. Hard Disk LED Indicator

Software & Features

Operating System

- ADM 3.5 Onwards Supports Online
- Supports Online Firmware Updates

Supported OS

- Windows 7, 8, 10, 11, Server 2003, Server 2008 R2, 2012, 2016, 2019, 2022
- macOS 10.13 Onwards
- UNIX, Linux, BSD

Access Control

- Supports 2-Step Verification Supports Batch Creation and Importation of ADM Accounts
- Maximum Number of Users: 16384
- Maximum Number of Groups: 512
- Maximum Number of Shared Folders: 512
- Maximum Number of Concurrent Connections: 2048
- Supports Windows Active Directory/LDAP

File Explorer

- Web-based File Management
- ISO File Mounting
- Task Monitor
- Thumbnail Previews
- Data Access via External Optical Drive
- Supports video playback
- Share Links quick upload

System Administration

- Log Type: System Log, Connection Log, File Access Log
- Real-time Online User Monitor
- Real-time System Monitor
- User Quota

- Virtual Drive (ISO Mounting, Maximum 16)
- UPS Support

Storage Management

- Support Multiple Volumes with Spare Disks
- Volume Type: Single disk, JBOD, RAID 0, RAID 1, RAID 5, RAID 6, RAID 10
- Support for Online RAID Level Migration
- Support for Online RAID Capacity Expansion

Disk Management

- Scheduled Bad Block Scans
- Scheduled S.M.A.R.T Scans
- Seagate IronWolf Health Management

External Devices

- Supports USB External Storage Devices
- USB Wi-Fi Dongle Support
- Bluetooth Dongle/Speaker Support
- USB Printer Support
- USB DAC/IR Receiver/Keyboard/Mouse Support
- USB CD ROM Drives/DVD ROM Drives/BD-ROM Drives

Network

- TCP/IP (IPv4 & IPv6)
- Jumbo Frame (MTU)
- VLAN
- SMB Multichannel
- EZ-Connect
- Wireless Network
- DDNS and EZ-Router
- Supports Wake on LAN (WOL)

## Network Protocols

- CIFS/SMB, SMB 2.0/3.0, AFP, NFS, FTP (Unicode Supported), TFTP, WebDAV, Rsync, SSH, SFTP, iSCSI/IP-SAN, HTTP, HTTPS, Proxy, SNMP, Syslog

## Security

- AES 256-Bit Encryption
- Firewall: Prevent Unauthorized Access
- Alert Notifications: E-mail, SMS
- Encrypted Connections: HTTPS, FTP over SSL/TLS, SSH, SFTP, Rsync over SSH

## Backup Solutions (Two-way Backup)

- Rsync (Remote Sync) Backup    • EZ Sync
- SMB Backup                      • One Touch Backup
- Cloud Backup
- FTP Backup
- External Backup
- USB One Touch Backup

## EZ Sync Manager

- Automatically synchronizes files between a PC and NAS
- Can restore previous versions of files
- Supports file sharing
- AiData now supports accessing EZ Sync files

## Supported Browsers

- Firefox, Chrome, Safari, Microsoft Edge

## Network Recycle Bin

- Share folder-based
- Maintains original directory structure and file permission
- On-click restore
- Supports scheduled emptying
- Filtering rules (1.File size 2.File extension)
- Deletion Settings (1.File size 2.File date)
- Supports scheduled emptying
- Filtering rules 1.File size 2.File extension Deletion Settings 1.File size 2.File date

## Sever

- VPN server, SNMP server, RADIUS server, Syslog server, Mail server, DHCP server, Web server, FTP server, Print server, Rsync server

## ACL

- Provides both Windows ACL and Linux ACL permission configuration methods
- Can enable Windows ACL for specific shared folders
- Comprehensive support for Windows' 13 types of advanced permission settings
- Can view Windows ACL permission settings from within ADM
- Supports local users and groups
- Exclusive permission reset function allows users to quickly restore default permissions

## Snapshots

- Btrfs Snapshots
- 256 snapshots
- iSCSI LUNs

## iSCSI

- Maximum Targets: 256
- Maximum LUNs: 256
- Maximum Snapshot Versions of a Single LUN: 256
- Target Masking
- LUN Mapping
- ISO File Mounting
- Supports MPIO
- Persistent (SCSI-3) Reservations

## Mobile Apps

- AiMaster    • AiVideos    • AiSecure
- AiFoto 3    • AiData        • AiRemote
- AiMusic    • AiDownload (Android)

Featured Apps

- Antivirus
- Download Center
- FTP Explorer
- DataSync for CloudDrive
- Cloud Backup Center
- VirtualBox
- RADIUS Server
- Mail Server
- DataSync Center
- LooksGood
- Photo Gallery 3
- SoundsGood
- Linux Center
- Surveillance Center
- UPnP Media Server
- VPN Server
- VPN Client

Recommended support

24x7 - 4 hours Response, Next Business Day Call to Resolution CTR

24x7 - 4 hours Response, 24 Hours Call to Resolution CTR

24x7 - 4 Hours Response, 6 Hours Call to Resolution CTR

Default support Next Business Day Consulting and deployment offerings are also available. Contact Vantageo representative for the more information.

Disclaimer: Technical data is subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.